

Land and Chemicals Division

Гуре of Document:	 □ Notice of Violation and Inspection Report □ No Violation Letter and Inspection Report □ Letter of Acknowledgment ☑ Information Request □ Pre-Filing and Opportunity to Confer □ State Notification of Enforcement Action □ Return to Compliance □ Other Correspondence- NOD, memo to Object 	/Checklist	
Facility Name: Conesville Generating Station			
City: Conesville	e State: OH		
U.S. EPA ID#:			
Assigned Staff: Derrick Samaranski Phone: 312-886-7812			
Name	Signature	Date	
Author	inhusbured some	12/17/10	
Regional Counsel	concurrence by smail	01/31/11	
Section Chief	PLdle	1-2-11	
Branch Chief			

Directions/Request for Clerical Support:

After the Section Chief/Branch Chief signs this sheet and original letter:

- 1. Date stamp the cover letter;
- 2. Make one copy of the contents of this folder for the official file; Note: original inspection report goes into file room.
- 3. Scan the letter and save the file in the appropriate share drive folder.
- 4. Mail the original certified mail.
- 5. Distribute office copies and cc's and bcc's by email.

Once the certified mail receipt is returned:

- 6. File the certified mail receipt (green card), with this sign-off sheet and the official file copy, and take to 7th floor RCRA file room.
- 7. E-mail staff the date that the letter was received by facility.



History:

Re: Conesville and OVEC 3007s Richard Clarizio to: Derrick Samaranski

Cc: clarizio.richard

This message has been replied to.

Hi Derrick,

I concur with the 3007s. I am out of the office until tomorrow. You can use this as an electronic concurrence. My name is misspelled in the Conesville letter.

Rich

-----Derrick Samaranski/R5/USEPA/US wrote: -----

To: Richard Clarizio/R5/USEPA/US@EPA From: Derrick Samaranski/R5/USEPA/US

Date: 01/25/2011 04:11PM

Subject: Conesville and OVEC 3007s

Hi Rich,

here are corrected 3007s incorporating your changes.

(See attached file: Conesville - 3007 1.25.11 rjc.docx) (See attached file: 3007 OVEC1.25..11.docx)

Typical issues of concern for each facility included such things as labeling of containers.

Background documents I was talking about:

(See attached file: Waste From the Combustion of Coal.PDF) (See attached file: TEFT.pdf) (See attached file: ff2f-fr.pdf) Pg. 8 of the FR

If both documents meet your approval, I need your concurrence to send them out. Thanks

Derrick Samaranski U.S. EPA Region V Land & Chemicals Division RCRA Branch (312) 886-7812 samaranski.derrick@epa.gov

[attachment "Conesville - 3007 1.25.11 rjc.docx" removed by Richard Clarizio/R5/USEPA/US] [attachment "3007 OVEC1.25..11.docx" removed by Richard Clarizio/R5/USEPA/US] [attachment "Waste From the Combustion of Coal.PDF" removed by Richard Clarizio/R5/USEPA/US] [attachment "TEFT.pdf" removed by Richard Clarizio/R5/USEPA/US] [attachment "ff2f-fr.pdf" removed by Richard Clarizio/R5/USEPA/US]

01/31/2011 12:05 PM



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

FEB 0 7 2011

REPLY TO THE ATTENTION OF:

<u>CERTIFIED MAIL</u> 7001 0320 0006 1468 2264 RETURN RECEIPT REQUESTED

LR-8J

IN THE MATTER OF:

Conesville Generating Station 47201 CR 273 Conesville, Ohio 43811

U.S. EPA ID No.: OHD000816686

ATTENTION:

Mr. Brain Scragg, Registered Agent

REQUEST FOR INFORMATION

By this letter, the United States Environmental Protection Agency (U.S. EPA) requests information under Section 3007 of the Resource Conservation and Recovery Act (RCRA), as amended, 42 U.S.C. § 6927. Section 3007 authorizes the Administrator of U.S. EPA to require you to submit certain information.

This Request for Information requires Conesville Generating Station (or "you") to submit certain information relating to its operations located at 47201 CR 273, Conesville, Ohio. We are requiring this information for purposes of enforcing RCRA and its implementing regulations. Attachment 2 specifies the information you must submit. You must submit this information within 21 calendar days of receiving this request to the United States Environmental Protection Agency, 77 West Jackson Boulevard, LR-8J, Chicago, Illinois 60604, Attention: Derrick Samaranski.

You may, under 40 C.F.R. Part 2, Subpart B, assert a business confidentiality claim covering all or part of the information in the manner described in 40 C.F.R. § 2.203(b). We will disclose the information covered by a business confidentiality claim only to the extent and by means of the procedures at 40 C.F.R. Part 2, Subpart B. You must make any request for confidentiality at the time you submit the information to U.S. EPA, since any information not so identified may be made available to the public without further notice.

Conesville Generating Station must submit all requested information under an authorized signature certifying that the information is true, accurate and complete to the best of the

signatory's (Conesville Generating Station's) knowledge and belief. Should you find, at any time after submitting the requested information, that any portion of the submitted information is false, misleading or incomplete, you must notify U.S. EPA immediately and provide all necessary corrected information. Knowingly providing false information in response to this Request for Information may be actionable under 18 U.S.C. §§ 1001 and 1341.

U.S. EPA may use the requested information in an administrative, civil or criminal action.

This request is not subject to the Paperwork Reduction Act, U.S.C. § 3501 et seq., because it seeks collection of information from specific individuals or entities as part of an administrative action or investigation.

Failure to comply fully with this request for information may subject Conesville Generating Station to an enforcement action under Section 3008 of RCRA, 42 U.S.C. § 6928.

You should direct questions about this request for information to Derrick Samaranski, of my staff, at (312) 886-7812.

3.3-11

Date

Paul Little, Chief


Compliance Section 2

RCRA Branch

Land and Chemicals Division

cc: Georgeanne "Gigi" Hammond, Environmental Coordinator Richard Clarizio, ORC

SENDER			
SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY		
Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you.	A. Received by (Please Print Clearly) B. Date of Delivery WILLIAM C. PHILLABAUM 2 - // - // C. Signature		
Attach this card to the back of the mailpiece, or on the front if space permits.	X 7/1/22 Agent		
Article Addressed to:	D. Is delivery address different from item 1?		
Conesville Generaling Station	If YES, enter delivery address below: \(\square\) No		
47201 CR 273			
Conesville, Onio 43811	2 04: 7		
	3. Service Type Certified Mail Registered Insured Mail C.O.D.		
2.	4. Restricted Delivery? (Extra Fee) ☐ Yes		
7001 0320 0006 1468 2264			
PS Form 3811, July 1999 Domestic Ret	urn Receipt 102595-99-M-1789		



Attachment 1

Instructions:

- 1. You must provide a complete and separate response to each of the questions or requests in Attachment II. Precede each answer with the number of the Request for Information to which it corresponds. For each document produced in response to this Request for Information, indicate on the document, or in some other reasonable manner, the number of the question to which it responds.
- 2. In preparing your response to each question, consult with all present and former employees and agents of the facility who may be familiar with the matter to which the question pertains.
- 3. In answering each question, identify all contributing sources of information.
- 4. If you are unable to answer a question in a detailed and complete manner or if you are unable to provide any of the information or documents requested, indicate the reason for your inability to do so. If you have reason to believe that there is an individual who may be able to provide more detail or documentation in response to any question, state that person's name and last known address and phone number and the reasons for your belief.
- 5. If you cannot provide a precise answer to any question, please approximate and state the reason for your inability to be specific.
- 6. If anything is deleted or redacted from a document produced in response to this Request for Information, state the reason for and the subject matter of the deletion.

If a document is requested but is not available, state the reason for its unavailability. In addition, identify any such document by author, date, subject matter, number of pages, and all recipients and their addresses.



Attachment 2

Instructions: You must respond separately to each of the questions or requests in this attachment. Precede each answer with the number of the Request for Information to which the answer corresponds. For each document produced in response to this Request for Information, indicate on the document, or in some other reasonable manner, the number of the question to which the document responds.

Requests

1. Identify each and every person consulted in preparing the answers to this Request for Information. Provide the full name and title for each person identified.

Combustion Boiler Clean-Outs

- 2. Provide the following information for each **water-side** cleaning event of the combustion boilers conducted at the Conesville Generating Station plant in the past five years ending at 08/11/2010:
 - a) the date(s) the cleaning occurred,
 - b) identify the combustion boiler unit(s) cleaned,
 - c) describe the cleaning procedure including volumes of liquids, names of chemicals, and length of cleaning,
 - d) copies of the MSDS sheets of the chemical agents used during the cleaning.
- 3. Provide the following information for each waste stream(s) generated during each boiler cleaning event described in 2 above:
 - a) chemical composition of the waste stream,
 - b) copies of TCLP results of the waste stream prior to any on-site or off-site treatment,
 - c) amount of each waste generated in gallons or pounds,
 - d) describe on-site units (ex. containers, tanks) used to accumulate the waste including type of construction materials and volume,
 - e) copies of any hazardous waste tank installation or certification documents,
 - f) how long was the waste accumulated on-site,
 - g) copies of weekly or daily inspection logs of accumulation units,
 - h) copy of construction and design drawings for the units.
- 4. Provide the following information for each waste stream(s) generated during each boiler cleaning event described in 2 above:
 - a) describe type of treatment(s) conducted on the waste,
 - b) describe waste treatment units (include a copy of the construction and design drawings for the units),
 - c) duration of the waste treatment,

- d) copies of TCLP results of the waste after treatment,
- e) describe final disposal of the waste,
- f) copies of logs of burning of the waste,
- g) copies of LDRs for the disposed waste,
- h) copies of manifest for off-site disposal.
- 5. Do you contend that the waste streams generated from the combustion cleaning unit clean-out or your storage and treatment on-site is exempt from regulation under RCRA or does not require a RCRA permit? Provide a detailed explanation for your response. Include documentation related to your response.
- 6. Provide the following certification signed and dated by a responsible corporate officer:

I certify under the penalty of law that I have examined and am familiar with the information submitted in responding to this information request for production of documents. Based on my review of all relevant documents and inquiring of those individuals immediately responsible for providing all the relevant information and documents, I believe that the information submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.